

# MULTI VIBE

Quality



THE WORLD'S MOST  
USEFUL VIBRATORS  
FOR CONCRETE AND MORE



Mfg. By

**Jlin Corp.**

3125 N. Friendship Rd.  
Paducah, KY 42001

[WWW.MULTIVIBE.COM](http://WWW.MULTIVIBE.COM)

TOLL FREE 1-877-220-6652

FAX # 270-554-0631



# HONDA GX35 ENGINE

- No assembly (NO TOOLS)
- Lift handle is elevated over center of weight
- No scheduled maintenance for any parts
- Power Unit and Screed Blades interchange with competing products

Passes the vibration to hands CE requirement

Adjustable friction kickstand (NO TOOLS)

Vibrator is totally sealed for longer life

Adjustable handle height (NO TOOLS)

## MVPR100H TWO HANDLE SCREED

- Lever Screws blade connection (NO TOOLS)  
Attaches in SECONDS NOT MINUTES

# VIBRATING SCREEDS

2-MVPR100H  
1-LB124D

PR100C



CH350

MV2HH

PR400SH



The blades are made from the highest quality of magnesium.  
Box triangle design keeps screed boards straight up to 24'



CALIFORNIA HANGERS




OPTIONAL END LIFT HANDLES



FULL PROFILE 4X6 SCREED BAR



LIGHT PROFILE 3X5 SCREED BAR



ULTRA LIGHT PROFILE SCREED BAR



# WILDCAT



WC100



WC50



WC35



WCE



## ROLLER SCREEDS

### SIMPLE AND AFFORDABLE

Over the years, Multivibe has worked closely with the concrete associations coast to coast to perfect these tools to have the most up to date designs for all of your needs



### GREAT FOR CONVENTIONAL AND PERVIOUS CONCRETE

A Wildcat Roller Screed is like have a Screed and Power Rake rolled into one. Simple to use for getting unbeatable grade control on inclines



See water flow through pervious concrete



CROSS ROLLER




GROOVING ROLLER

SLIDING HEIGHT SUPPORT WHEELS




CIRCULAR POUR ATTACHMENT


Pervious is a Special Mix and Requires Special Tools to Place it



CUSTOM PROFILES



SELF ALIGNING END PLUG



CARBON STEEL ROLLER TUBES

6"

4.5"



OPTIONAL END COUNTER WIEGHT

## WORLD'S LARGEST SELECTION TO FIT ALL YOUR NEEDS



# CONCRETE VIBRATORS

## HUMMER SELECTION

3 point harness option available



**HM300CH**



	Frequency	Amplitude	Head Size
	9,000	.14	2" X 12"
	9,000	.12	1 3/4" X 12"
	9,000	.04	1" X 12"
	9,000	.14	2" X 8"
	9,000	.09	2" X 4"
	9,000	.14	2 1/2" X 9"



**HM41H**

LARGEST SELECTION OF VIBRATOR HEADS

# COMPACTION EQUIPMENT



FOR STAMPING DECORATIVE CONCRETE

THOSE WHO USE IT SAY IT BEST

Flatter placements. Pays for itself in labor savings.

Kevin O'Leary  
O'Leary Concrete

Saving labor is a given, but I am most impressed with the consistency.

Troy Lewis  
Red Eye Concrete

**THUMPER  
TAMP**



Tach VPM for Consistency

Honda GX35 engine

Convenient lift handle

Rubber coated hub for longer life

Kickstand & handle extension

